

## PUBLIKATIONSLISTE GRANULOCYTENFUNKTIONEN

### ORIGINALARBEITEN

Egger,G. Ch.Klemmt, S.Spendel, W.Kaufersch, H.Kenzian. Migratory activity of blood polymorphnuclear leukocytes during juvenile rheumatoid arthritis, demonstrated with a new whole-blood membrane filter assay. *Inflammation* 18, 427-441, 1994

Hofer,H.P., E Kukovetz, G.Egger, R.Wildburger, F.Quehenberger,, R.J.Schaur. Polymorphnuclear leucocyte migration response in uneventful wound healing following trauma surgery. *Arch.Orthop.Trauma Surg.* 113, 170-173, 1994

Hofer,H.P., G.Egger, G.Bratschitsch, E.M.Kukovetz, W.Petek, R.J.Schaur. Phagocyte activation and its implication in wound healing following trauma surgery. *Med.Sci.Res.* 22, 533-534, 1994

Hofer,H.P., G.Bratschitsch, G.Egger, E.Kukovetz, G.A.Khoschorur, F.Schweighofer,R.J.Schaur. Postsurgical assessment of the acute inflammatory response within healing wounds. *Brit.J.Surg.* 81, Suppl.1, 93, 1994

Hofer,H.P., E.Kukovetz, G.Egger, G.A. Khoschorur, R.Wildburger, W.Petek, R.J.Schaur. PMN-related parameters for the monitoring of wound healing in traumatology. *Eur.J.Orthop.Surg.Traumatol.*5, 21-26, 1995

Hofer,H.P., G.Egger, E.Kukovetz, W.Petek, R.J.Schaur. Neutrophil migration activity (NMA) A new migration test for the monitoring of wound healing in traumatology? *Eur.J.Orthop.Traumatol.* 5, 143-145, 1995

Kukovetz,E., H.P.Hofer, G.Egger, G.A.Khoschorur, G.Bratschitsch, W.Petek, F.Quehenberger, R.J.Schaur. Assay of phagocyte activation by means of malondialdehyde and luminol-enhanced chemiluminescence during uneventful wound healing following trauma surgery. *Redox Report* 1, 247-254, 1995

Egger,G., F.Aglas, F.Rainer. Blood polymorphnuclear leukocyte migratory activities during rheumatoid arthritis. *Inflammation* 19, 651-667, 1995

Kukovetz,E., Bratschitsch,G., Hofer, H.P., Egger,G., Steindorfer,P., Schaur, R.J. Case report. Post-surgical wound infection monitored by a new polymorphnuclear leucocyte migration test. *Med.Sci.Res.* 23, 791-792, 1995.

Hofer,H.P., G.Egger, E.Kukovetz, G.Bratschitsch, P.Steindorfer, R.J.Schaur. The influence of trauma on changes in neutrophil granulocyte function assessed by an analysis of granulocyte migration. *Langenbecks Arch.Chir.* 381, 148-154, 1996

Egger,G. T.Allmayer, F.Iberer, K.H.Tcheliessnigg, Th.Auer, A.Wasler, B.Petutschnigg. Impaired polymorphnuclear leucocyte migration as a possible monitor for the risk of septicaemia in immunosuppressed transplant patients. *Med.Sci.Res.* 24, 17-19, 1996

Hofer,H.P., Bratschitsch,G., Kukovetz,E., Egger,G., Schweighofer, F., Schaur,R.J. Einfluß des Traumas auf Phagozytenaktivierung quantifiziert durch Chemiluminiszenzanalyse und einen neuen Granulocytenmigrationstest. *Unfallchirurg* 257, 243-249, 1996

Hofer,H.P., Kukovetz,E., Bratschitsch,G., Egger,G., Aigner,R., Schaur,R.J. Die Frühdiagnose des frühen Infekts an Knochen,Gelenken und Weichteilen. *Akt.Traumatol.*26, 224-232, 1996

Kukovetz,E.M., Bratschitsch,G., Hofer,H.P., Egger,G., Schaur,R.J. Influence of age on the release of reactive oxygen species by phagocytes as measured by a whole blood chemiluminescence assay. *Free Radicals Biol Med* 22, 433-438, 1996

Egger,G., Kukovetz,E.M., Hayn,M., Fabjan,J.S. Changes in the polymorphnuclear leukocyte function of blood samples induced by storage time, temperature and agitation. *Immunol Met* 206, 61-71, 1997

Bratschitsch,G., Hofer,H.P., Kukovetz,E., Egger,G., Schweighofer,F., Schaur,R. Der Stellenwert von Entzündungsparametern zur Wundheilungskontrolle nach unfallchirurgischen Eingriffen. Acta Chir.Austriaca, Suppl.133, 38-40, 1997

Aglas,F., Rainer,F., Lipp,R.W., Schnedl,W.J., Horn,S., Egger,G. Effect of steroid treatment on the migration behaviour of neutrophils in patients with early rheumatoid arthritis. Rheumatol.Int. 17, 137-140, 1997

Aglas F, Hermann J, Egger G. Abnormal directed migration of blood polymorphonuclear leukocytes in rheumatoid arthritis. Potential role in increased susceptibility to bacterial infections. Mediat. Inflamm. 7, 19-23, 1998

Egger,G., Burda,A., Hengster,P., Kunc,M., Margreiter,R. Polymorphonuclear leukocyte functions as predictive markers for infections after organ transplantation. Transpl Intern 2000; 13: 114-121, 2000

Egger G, Burda A, Glasner A. A simple method for measuring the F-actin content of human polymorphonuclear leukocytes in whole blood. Virchows Arch 2001, Virchows Arch 483: 394-397

Egger G, Burda A, Obernosterer A, Mitterhammer H, Kager G, Jürgens G, Hofer HP, Fabian J, Pilger E. Blood polymorphonuclear leukocyte activation in atherosclerosis. Effects of aspirin. Inflammation 2001, 25:129-135

Glasner A, Egger G, Winter R. Impaired whole-blood polymorphonuclear leukocyte migration as a possible predictive marker for infections in premature preterm rupture of membranes. Inf Diseases Obstet Gynecol 2001; 12: 1-6

Egger G, Burda A, Mitterhammer H, Baumann G, Bratschitsch G, Glasner A. Impaired blood polymorphonuclear leukocyte migration and infection risk in severe trauma. Under consideration for publication

## KONGRESSBEITRÄGE

Egger,G. Priming of polymorphnuclear leukocytes (PMN) by cytokines demonstrated with a new whole-blood membrane filter migration assay. International Congress on Inflammation ICOI, Rom, 1991

Egger,G., Ch.Klemt, W.Kaufersch, S.Spendel. A new PMN migration test for a therapy control of juvenile rheumatoid arthritis (JRA). International Congress on Inflammation ICOI, Rom, 1991

Kaufersch,W., G.Egger, A.Ioannou, Ch.Klemt, H.Mangge, S.Spendl. Leukocyten-Migrationstest zur Therapiekontrolle bei Patienten mit Juveniler Rheumatoider Arthritis. 29. Jahrestagung der Österreichischen Gesellschaft für Kinder- und Jugendheilkunde, Graz, 1991

Allmayer,T. F.Iberer, G.Egger, K.Sabin, K.H.Tscheliessnigg, T.Auer, A.Wasler B.Petutschnigg. Leukozytenmigrationstest als Transplantations-Monitoring? Erste Ergebnisse nach oHTX. Österreichische Gesellschaft für Transplantation, Transfusion und Genetik, Jahrestagung, Gosau, 1992

Egger,G., T.Allmayer, F.Iberer, K.Sabin, K.H.Tscheliessnigg, T.Auer, A.Wasler, B.Petutschnigg. A new PMN migration assay for monitoring immune suppression therapy after orthotopic heart transplantation. 5th INWIN 93, Interscience World Conference on Inflammation, Antirheumatics, Analgesics, Immunomodulators, Genf, 1993

Hofer,H.P., E.Kukovetz, G.Egger, R.Wildburger, W.Petek, J.Schaur. PMN migration test -a new marker in wound healing monitoring after elective traumatological-orthopedic surgery. Highlights in Bone Pathophysiology Orthopaedic Surgery Endoprosthetics. Prag, 1993

Hofer, H.P. E Kukovetz, G.Egger, W.Patek, R.J.Schaur, G.Bratschitsch, G.A. Koschsorur, F.Schweighofer, R.Wildburger. Neue Aspekte in der Wundheilungsverlaufkontrolle. Acta Chirurgica

austriaca, Suppl.106, 25.Jahrestagung der Österreichischen Gesellschaft für Osteosynthesefragen, Graz, 1994

Bratschitsch,G., H.P.Hofer, G.Egger, E.Kukovetz, G.A. Koschsorur, F.Schweighofer, R.Wildburger, R.J.Schaur. Chemiluminescence-assisted monitoring of the inflammatory response after trauma surgery. International Conference on Clinical Chemiluminescence, Berlin, 1994

Bratschitsch,G., E.Kukovetz, H.P.Hofer, G.Egger, P.Steindorfer, R.J.Schaur. Is neutrophil migratory activity (NMA) a reliable marker for the monitoring of wound healing in traumatology? Tagung der Österreichischen Biochemischen Gesellschaft, Graz, 1995

Kukovetz,E., G.Bratschitsch, H.P.Hofer, G.Egger, P.Steindorfer, R.J.Schaur. Influence of age on phagocyte activation by a whole blood chemiluminescence assay. Tagung der Österreichischen Biochemischen Gesellschaft, Graz, 1995

Hofer,H.P., Egger,G., Bratschitsch,G., Khoschsorur,G.A., Schaur,R.J. Verhaltenscharakteristika verschiedener Entzündungsparameter nach unfallchirurgischen Eingriffen. Swiss Surgery Suppl.2, 86, 1996

Bratschitsch,G., Kukovetz, E., Hofer,H.P., Egger,G., Petek,W., Schweighofer,F., Schaur,R.J. Phagocyte activation following monotrauma surgery - clinical aspects. Eur.J.Haematol. Suppl. 59, Vol 57, 56, 1996

Egger,G., Kukovetz,E., Allmayer,T., Tscheliessnigg,K., Iberer,F., Bratschitsch,G., H.P.Hofer. A whole-blood polymorphonuclear leukocyte(PMN) migration test for monitoring infection risk in immunosuppressed patients. Eur.J.Haematol. 59, Vol 57, 24, 1996

Hauser,H., Kukovetz,E., Steindorfer,P., Egger,G., Bratschitsch,G., Thalhammer,M.,Klimpfinger,M., Uranüs,S. Evaluierung des Stellenwertes von Chemilumineszenz-Analyse und Elastasebestimmung im klinischen Infektmonitoring am Beispiel derAppendicitis acuta. 37.Tagung der Österreichischen Gesellschaft für Chirurgie, Graz, 6. bis 8 Juni 1996

Schaur,R.J., Kukovetz,E., Bratschitsch,G., Hofer,H.P., Egger,G. Oxidative stress and aging: the role of phagocytes. SFRR Europe Summer Meeting. Abano Terme June 26-28,1997

Kukovetz EM, Bratschitsch G, Hofer HP, Egger G, Steindorfer P, Schaur RJ. Characteristics of the chemiluminescence response of circulating blood phagocytes: correlation with age. Seggauer Workshop 1997, BioFactors 1997; 6: 251-252

Bratschitsch,G, Kukovetz EM, Hauser H, Egger G, Thalhammer M, Klimpfinger M, Steindorfer P, Schaur RJ. Luminol-enhanced whole blood chemiluminescence in a human inflammation model: patients with suspected appendicitis acuta. Seggauer Workshop 1997, BioFactors 1997; 6: 221-222

Lauda,P.H., H.P.Hofer, G.Egger, J.Fabjan, E.Kukovetz, G.Bratschitsch, R.J.Schaur. Post-surgical assessment of the acute inflammatory response by polymorphonuclear leucocyte (PMN) functional parameters and acute phase reactants blood levels. PGA 51 Meeting, P-9102. New York State Society of Anesthesiologists, New York December 13-17, 1997.

Egger,G., Lippitsch,M., and Kieslinger,D. Whole-blood polymorphonuclear leukocyte (PMN) migration evaluated in an automated image analyzer. 13th International Congress of Cytology, Tokyo, May 1998. Acta Cytologica 42/2 (suppl), 472, 1998.

Hofer,H.P.,Egger,G.,Bratschitsch,G., Kukovetz,E., and Schaur,R.J. Trauma causes differential alterations of polymorphonuclear leukocyte (PMN) activation and acute phase reactants blood levels in a human inflammation model. 3rd European Traumatology Congress Amsterdam, June 1998

Hengster,P., Egger,G., Burda,A., Kunc, ML., und Margreiter,R. Erste Ergebnisse mit der Bestimmung von Markern des unspezifischen Abwehrsystems zur Erfassung des Infektionsrisikos nach Organtransplantationen. 12. Jahrestagung der Österreichischen Gesellschaft für Transplantation, Transfusion und Genetik. 21.10. - 24.10. 1998 Bad Tatzmannsdorf

Egger G, Burda A, Hengster P, Kunc M, Margreiter R. Definition of the sepsis risk in transplant patients by polymorphonuclear leukocyte function tests. Virchows Archiv 436/3, September 1999, p 321  
17<sup>th</sup> European Congress of Pathology and XIX Spanish Congress of Pathology  
Barcelona, September 18-23, 1999

Burda A, Egger G, Glasner A. The actual actin polymerization degree and reactivity clinical diagnostic, demonstrated in whole blood with a new method. Virchows Archiv 436/3, September 1999, p 344  
17<sup>th</sup> European Congress of Pathology and XIX Spanish Congress of Pathology  
Barcelona, September 18-23, 1999

Hofer HP, Egger G, Bratschitsch G, Schaur RJ. Trauma causes differential alterations of polymorphonuclear leukocyte (PMN) activation and acute phase reactants blood levels in a human inflammation model. 5<sup>th</sup> World Congress on Shock, Inflammation and Sepsis. Munich, February 29-March 4, 2000

Hengster P, Mark W, Margreiter R, Egger G. Impaired granulocyte function precedes infection in immunocompromised allograft recipients. 11<sup>th</sup> International symposium on Bioluminescence and Chemiluminescence, Proc Biolum Chemilum 2000, pp 403-406